



1000 de la Gauchetière West 24th Floor
 Montréal, QC, H3B 4W5 CANADA
 Telephone: 514-761-1415 Fax: 208-474-1560
 Website: www.maudore.com
 Email: info@maudore.com

(TSX-V:MAO)

NEWS RELEASE

January 14, 2008

**MAUDORE INTERSECTS ADDITIONAL HIGH GRADE GOLD AT
 COMTOIS
 INCLUDING 47.5 GRAMS GOLD/TON OVER ALMOST 1 METER**

Montreal, Quebec CANADA, January 14, 2008 - Maudore Minerals Limited (MAO - TSX Venture), is pleased to report assay results from six drill holes recently completed on its 100%-owned Comtois Gold Project near Lebel-sur-Quevillon, north of Val d'Or, in mine-friendly Quebec. **Every hole in this drilling series intersected at least 4 grams of gold per tonne.** Hole 152 (below) intersected **15 g/t Au over 2.7 meters**, including **47.5 g/t over 0.85 meters**. Intersections in other holes included assays of 9.3 g/t Au, 8.6 g/t Au, 8.2 g/t Au, and 7.8 g/t Au, and 4.7 g/t Au. The holes focused on the down-dip extension of the known resource (NR43-101 compliant) of 808,000 tonnes containing 524,000 ounces grading 20.2 grams (uncut). The aforesaid report is available on SEDAR and on Maudore's website, www.maudore.com.

Ron Shorr, President/CEO of Maudore, stated "the consistency of gold results in each hole below the main mineralized zone is very encouraging to our goal of increasing the known Comtois resource."

Drilling Results

New significant drilling results are presented in detail in Table 1, with their locations indicated by white stars in Figure 1 on the last page.

Table 1. - New Assay Results (COM-07-149, 150, 151, 152, 153 and 154);

| Drill Hole | From (m) | To (m) | Core length (m) | Gold (g/t Au) | Weighted Average | Zone and vertical depth |
|-------------------|-----------------|---------------|------------------------|----------------------|---------------------------|--------------------------------|
| COM-07-149 | 117.90 | 118.40 | 0.50 | 8.6 | 3.6 g/t Au / 1.7 m | South Zone at -80 m |
| | 118.40 | 119.60 | 1.20 | 1.5 | | |
| | 149.50 | 150.50 | 1.00 | 8.1 | 5.6 g/t Au / 1.5 m | Inter at -100 m |
| | 150.50 | 151.00 | 0.50 | 0.4 | | |
| | 162.25 | 162.75 | 0.50 | 4.0 | 5.9 g/t Au / 1.0 m | South-South Zone at -110 m |
| | 162.75 | 163.25 | 0.50 | 7.7 | | |
| COM-07-150 | 84.50 | 85.75 | 1.25 | 4.7 | 4.5 g/t Au | South Zone |

| | | | | | | |
|------------|--------|--------|------|------|-------------|------------------|
| | 85.75 | 86.50 | 0.75 | 4.2 | / 2.0 m | at -60 m |
| COM-07-151 | 373.70 | 374.20 | 0.50 | 6.8 | 4.1 g/t Au | South Zone |
| | 374.20 | 375.00 | 0.80 | 2.5 | / 1.3 m | at -320 m |
| | 501.00 | 502.00 | 1.00 | 3.9 | 5.7 g/t Au | South-South Zone |
| | 502.00 | 502.50 | 0.50 | 9.3 | / 1.5 m | at -420 m |
| COM-07-152 | 257.80 | 258.65 | 0.85 | 47.5 | 15.0 g/t Au | North Zone |
| | 260.00 | 260.50 | 0.50 | 0.4 | / 2.7 m | at -180 m |
| COM-07-153 | 241.85 | 242.35 | 0.50 | 1.6 | 2.1 g/t Au | North Zone |
| | 243.60 | 244.10 | 0.50 | 7.8 | / 2.3 m | at -210 m |
| COM-07-154 | 285.90 | 286.40 | 0.50 | 2.8 | 3.5 g/t Au | South-South Zone |
| | 287.00 | 287.50 | 0.50 | 8.2 | / 1.6 m | at -220 m |

Gold grade (g/t Au): are expressed uncut.

Weighted average: are expressed over core length. Considering both the dip of the drill hole and the strike and dip of the mineralized zones, core length and true width are close to being the same.

Zone: identification of the mineralized zone is based on preliminary interpretation on plan view and cross-section.

Vertical depth: correspond to the depth from surface.

Two drill rigs are currently testing extensions of known mineralized zones in the main Osborne area. One rig is testing the deposit at vertical depths from 150m to 350m below surface. The second drill rig is testing deeper targets at vertical depths of 350m to 550m with deep holes and offsetting wedges.

Further results from 2007 drilling in the main Osborne area are pending. Turnaround time of assay receipts from independent labs is an industry-wide problem, particularly in Quebec where favourable geological and political factors have increased mineral exploration. Fortunately, our present drilling is similar to infilling, thus not dependent on knowing results from prior drill holes, as we would want to test these areas under any circumstances. Maudore will continue to report drilling results as they are made available.

Quality Assurance and Quality Control (QA/QC)

The Comtois exploration program is supervised by Alain Carrier, M.Sc., P.Geo., of InnovExplo Inc., a consulting firm based in Val-d'Or Quebec. Alain Carrier is a Qualified and Independent Person as defined under Regulation 43-101 guidelines. Comtois exploration is conducted under strict QA/QC protocols including mineralized standards, blanks and field duplicates. Half of all sampled core is retained for future reference, and analyses are performed by ALS-Chemex - Chimitec in Val-d'Or Quebec.

About Maudore Minerals

Maudore Minerals Limited is a Canadian exploration company listed on the TSX Venture Exchange under the symbol MAO, and the Frankfurt Stock Exchange under the symbol M6L. Maudore owns 100% of the Comtois High Grade Gold project located in Quebec, Canada. In May 2007, Maudore raised \$5.5 Million to advance exploration programs on the Project.

The current Inferred Mineral Resource at Comtois (RPA, 2002) is 524,000 ounces of gold [808,000 tonnes at 20.2 g/t Au (uncut)] or at 249,400 ounces of gold [808,000 tonnes at 9.6 g/t Au (cut at 30 g/t Au)]. The deposit remains open in all directions and at depth.

A program to explore the volcanogenic massive sulphide (VMS) potential on the property is also under way. VMS gold deposits of high grade and large size are found more commonly in Quebec than anywhere else in the world. Maudore recently expanded the Comtois property to encompass several areas with indications of VMS mineralization.

On behalf of the Board of Directors:

Maudore Minerals Limited
Ronald Shorr
President/CEO and Director
(514) 761-1415
www.maudore.com

Statements in this release that are not historical facts are "forward-looking statements" within the meaning of the U.S. Private Securities Litigation Reform Act of 1995. Readers are cautioned that any such statements are not guarantees of future performance and that the actual developments or results may vary materially from those in these "forward-looking statements".

The TSX Venture Exchange has not reviewed and does not accept responsibility for the adequacy or accuracy of this release.




Figure 1 – Osborne South Zone schematic and composite longitudinal view (looking North). Gold grade isocontour: Magenta = >10g/t Au; Red = 6 - 10 g/t Au; Orange = 2.4 - 6 g/t Au; Yellow = 1.5 - 2.4 g/t Au; Blue = 0 - 1.5 g/t Au